



شركة المصيري للصناعات المعدنية
AL MUSAIRIY METALLIC INDUSTRIES CO



شركة المصيري للمصناعات المعدنية AL MUSAIRIY METALLIC INDUSTRIES CO

نبذة عن شركة المصيري للمصناعات المعدنية

منذ أن بدأت شركة المصيري للمصناعات المعدنية الإنتاج عام ١٩٩٢ م أصبحنا وبفضل الله من الشركات الرائدة في مجال تشكيل المعادن .. فمنتجاتنا من الصاج المضلع والمجلفن والاسود والمبزر وأنابيب الضغط العالي الدائرية والتيوبات المستطيلة والمربعة تُصنع بدقة متناهية وذلك لمواكبة التطور التكنولوجي واستخدام أحدث الماكينات والمعدات في هذا المجال ، كما نحرص أيضاً على الإطمئنان على مستوى الجودة لمنتجاتنا فالجودة بالنسبة لنا أمر هام وأساسي في جميع المنتجات بمصانعنا مما جعلنا نأخذ النصيب الأكبر في السوق المحلي والخارجي وثقة ورضاء عملائنا ..

SYNOPSIS ON AL MUSAIRIY METALLIC INDUSTRIES COMPANY

SINCE AL MUSAIRIY METALLIC INDUSTRIES COMPANY STARTED PRODUCTION IN 1992 WE HAVE BEEN FROM THE LEADER COMPANY IN THE METAL FORMING INDUSTRIES FIELD. THAT'S BY GOD'S GRACE. OUR WIDE VARIED PRODUCTS FROM CORRUGATED, GALVANIZED, BLACK, CHECKERED STEEL SHEET, HIGH PRESSURE ROUND STEEL PIPES, SQUARE AND RECTANGULAR TUBES. WHICH ARE MANUFACTURED WITH HIGH INFINITELY ACCURACY UNDER EXTREMELY HIGH QUALITY CONTROL THAT FOR ESCORTING THE HIGH RAPIDLY TECHNOLOGY DEVELOPMENT BY USING THE MOST MODERN TECHNOLOGICAL MACHINE AT THIS FIELD. WE ALSO CARE ON ASSURING OF QUALITY LEVEL FOR OUR PRODUCTS.

WHEREAS THE QUALITY PRINCIPLE IS CONSIDERED AS MAJOR MATTER TO ALL PRODUCTS OF OUR FACTORIES WHICH MADE US TO HAVE THE LARGEST ALLOWANCE IN THE LOCAL AND FOREIGN MARKET AND GET OUR CUSTOMER'S SATISFACTION AND TRUSTING.

AL MUSAIRIY METALLIC INDUSTRIES



PRODUCT RANGE

MINIMUM

MAXIMUM

NOMINAL DIAMETER

DIA. 15MM

6" (168.3 MM)


THICKNESS

0.5MM


6.0MM

LENGTH : CUSTOMIZED





ROUND STEEL PIPES



AL MUSAIRIEY METALLIC INDUSTRIES



PRODUCT RANGE

MINIMUM

MAXIMUM

NOMINAL HOLLOW SECTION

12 X 12

125 X 125

THICKNESS

0.5MM


6.0MM

LENGTH : CUSTOMIZED






SQUARE STEEL TUBES






SQUARE STEEL TUBES



AL MUSAIRIY METALLIC INDUSTRIES



PRODUCT RANGE

MINIMUM

MAXIMUM

NOMINAL HOLLOW SECTION

10 X 20

100 X 150


THICKNESS

0.5MM


6.0MM

LENGTH : CUSTOMIZED





RECTANGULAR STEEL TUBES



AL MUSAIRIY METALLIC INDUSTRIES



PRODUCT RANGE

MINIMUM

MAXIMUM

NOMINAL DIAMETER

1.5 INCH SCH: 40


6.0 INCH SCH: 40

NOMINAL DIAMETER

1.5 INCH SCH: 80

3.0 INCH SCH: 80

LENGTH : CUSTOMIZED




TRAVELLER SPRAY
BOOM



SPL. GRADE STEEL PIPES - ASTM A53



AL MUSAIRIY METALLIC INDUSTRIES



PRODUCT RANGE

MINIMUM

MAXIMUM

THICKNESS

0.35 MM

1.0 MM

LENGTH : CUSTOMIZED




COLORS AVAILABLE





PREPAINTED CORRUGATED STEEL SHEETS



AL MUSAIRIY METALLIC INDUSTRIES



HR



GI



CHE

PRODUCT RANGE	MINIMUM	MAXIMUM
THICKNESS	0.30MM	6.0MM
WIDTH	1000MM	1500MM
LENGTH : CUSTOMIZED		



CONTE

HR - CR - GI - CHE - STEEL SHEETS





TUBE WEIGHT PER METER (KGS)

SIZE	THICKNESS																NO OF PCS PER BUNDLE
	0.5	0.6	0.7	0.8	0.9	1.0	1.2	1.4	1.5	1.8	2.0	2.8	3.0	4.0	5.0	6.0	
ROUND																	
DIA. 15MM	0.19	0.23	0.26	0.30	0.33	0.37	0.43	0.51	0.54	0.65	0.69						169
DIA. 19MM	0.25	0.30	0.35	0.40	0.45	0.49	0.58	0.68	0.73	0.88	0.96	1.34	1.41				169
DIA. 25MM	0.31	0.38	0.44	0.50	0.56	0.61	0.72	0.84	0.90	1.08	1.19	1.67	1.79				127
DIA. 32MM	0.39	0.47	0.55	0.63	0.70	0.77	0.92	1.08	1.14	1.36	1.51	2.09	2.24				91
DIA. 47MM	0.59	0.71	0.82	0.94	1.06	1.17	1.40	1.63	1.75	2.06	2.28	3.15	3.38				70
DIA. 57MM	0.70	0.84	0.98	1.12	1.26	1.41	1.68	1.93	2.07	2.46	2.73	3.80	4.00				60
½" (21.3MM)	0.26	0.31	0.37	0.41	0.47	0.51	0.62	0.71	0.77	0.90	0.99	1.34	1.41				169
¾" (26.7MM)	0.33	0.40	0.46	0.52	0.59	0.65	0.78	0.90	0.97	1.14	1.26	1.76	1.84				127
1" (33.4MM)	0.41	0.49	0.57	0.65	0.73	0.82	0.98	1.13	1.21	1.44	1.59	2.19	2.33				91
1 ¼" (42.2MM)	0.52	0.63	0.73	0.83	0.94	1.04	1.25	1.46	1.56	1.84	2.03	2.77	2.99				71
1 ½" (48.3MM)	0.60	0.72	0.84	0.95	1.07	1.19	1.42	1.65	1.77	2.11	2.33	3.21	3.44				61
2" (60.3MM)							1.48	1.78	2.08	2.23	2.68	2.95	4.09	4.38	5.82	7.10	37
2 ½" (73MM)							1.84	2.21	2.58	2.77	3.24	3.60	4.97	5.32	7.03	8.67	37
3" (88.9MM)							2.18	2.62	3.04	3.26	3.90	4.33	6.04	6.50	8.59	10.60	37
4" (114.3MM)								3.39	3.95	4.23	5.06	5.63	7.82	8.38	11.08	13.76	19
5" (141.3MM)								4.20	4.90	5.25	6.29	6.98	9.72	10.41	13.80	17.13	10
6" (168.30MM)												8.31	11.58	12.41	16.47	20.45	10

ACC. TO ASTM A53 GRADE A & B

Size	O. D(MM)	THICKNESS	WEIGHT /MTR	NO OF PCS/BUNDLE
1.5 INCH SCH:40	48.30	3.68MM	4.05	61
2.0 INCH SCH:40	60.30	3.91MM	5.44	61
2.5 INCH SCH:40	73.00	5.16MM	8.63	37
3.0 INCH SCH:40	88.90	5.49MM	11.29	37
4.0 INCH SCH:40	114.30	6.02MM	16.07	19
5.0 INCH SCH:40	141.30	6.55MM	21.77	19
6.0 INCH SCH:40	168.30	7.11MM	28.26	10
2.0 INCH SCH:80	60.30	5.54MM	7.48	37
2.5 INCH SCH:80	73.00	7.01MM	11.41	37
3.0 INCH SCH:80	88.90	7.62MM	15.27	37



TUBE WEIGHT PER METER (KGS)

SIZE	THICKNESS																NO OF PCS PER BUNDLE	
	0.5	0.6	0.7	0.8	0.9	1.0	1.2	1.4	1.5	1.8	2.0	2.8	3.0	4.0	5.0	6.0		
SQUARE																		
12 x 12	0.19	0.23	0.26	0.30	0.33	0.37	0.43	0.51	0.54	0.65	0.69						200	
16 x 16	0.25	0.30	0.35	0.40	0.45	0.49	0.58	0.68	0.73	0.88	0.96	1.34	1.41				200	
19 x 19	0.29	0.35	0.40	0.46	0.52	0.57	0.68	0.79	0.85	1.02	1.11	1.54	1.65				100	
20 x 20	0.31	0.38	0.43	0.50	0.56	0.61	0.72	0.84	0.91	1.08	1.20	1.67	1.79				100	
25 x 25	0.39	0.47	0.55	0.62	0.70	0.77	0.92	1.08	1.14	1.36	1.51	2.09	2.24	2.92			100	
30 x 30	0.47	0.57	0.66	0.76	0.85	0.93	1.10	1.29	1.37	1.64	1.82	2.51	2.68	3.55			100	
40 x 40	0.63	0.75	0.87	1.00	1.12	1.25	1.50	1.71	1.84	2.20	2.42	3.32	3.53	4.71	5.89		100	
50 x 50						1.55	1.87	2.17	2.32	2.78	3.06	4.29	4.59	6.12	7.50		64	
60 x 60						1.85	2.21	2.58	2.77	3.31	3.67	5.10	5.44	7.24	8.95		49	
70 x 70						2.18	2.62	3.04	3.26	3.90	4.33	6.04	6.48	8.57	10.60		36	
80 x 80							2.97	3.46	3.71	4.45	4.93	6.90	7.32	9.70	12.01	14.32		30
100 x 100							3.71	4.33	4.64	5.57	6.17	8.62	9.21	12.18	15.13	18.04		20
120 x 120									5.57	6.67	7.38	10.31	11.04	14.63	18.21	21.67		9
125 x 125									5.81	6.95	7.71	10.75	11.52	15.35	18.96	22.68		9

TUBE WEIGHT PER METER (KGS)

SIZE	THICKNESS																NO OF PCS PER BUNDLE	
	0.5	0.6	0.7	0.8	0.9	1.0	1.2	1.4	1.5	1.8	2.0	2.8	3.0	4.0	5.0	6.0		
RECTANGULAR																		
10x20	0.25	0.30	0.35	0.40	0.45	0.49	0.58	0.68	0.73								200	
10x25	0.28	0.33	0.39	0.44	0.49	0.55	0.65	0.75	0.80								100	
15x35	0.36	0.43	0.50	0.57	0.64	0.70	0.83	0.96	1.03	1.22	1.35						100	
20x30	0.39	0.47	0.55	0.62	0.70	0.77	0.92	1.08	1.14	1.36	1.51	2.09	2.24	2.92			100	
20x40	0.47	0.57	0.66	0.76	0.85	0.93	1.10	1.29	1.37	1.64	1.82	2.51	2.68	3.55			70	
25x50	0.59	0.71	0.82	0.94	1.06	1.17	1.40	1.63	1.75	2.06	2.28	3.15	3.38	4.49			70	
30x60	0.70	0.84	0.98	1.12	1.26	1.41	1.68	1.93	2.07	2.46	2.73	3.80	4.07	5.39	6.59		60	
40x80						1.85	2.21	2.58	2.77	3.31	3.67	5.10	5.44	7.24	8.95		50	
50x100							2.80	3.28	3.50	4.18	4.65	6.50	6.91	9.14	11.30	13.45		40
60x120							3.37	3.92	4.19	5.00	5.56	7.71	8.28	10.96	13.58	16.11		12
90x150									5.57	6.67	7.39	10.31	11.06	14.66	18.21	21.67		9
100x150									5.81	6.95	7.71	10.75	11.52	15.29	18.98	22.68		9





شركة المصيري للصناعات المعدنية

AL MUSAIRIEY METALLIC INDUSTRIES CO

P.O. Box 42491 Riyadh 11541 Tel.: 2650880 Kingdom of Saudi Arabia

Website : www.musairiey.com